
Scientific Research Studies

Relating to our Special Benefits Program's

Liquid Dietary Supplement

Following are some citations for published research studies about *Morinda citrifolia*, the main ingredient in the liquid dietary supplement supplied through our Special Benefits Program. **These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.**



T. Akihisa, S. Tochizawa, N. Takahashi, A. Yamamoto, J. Zhang, T. Kikuchi, M. Fukatsu, H. Tokuda, N. Suzuki. *Melanogenesis-inhibitory saccharide fatty acid esters and other constituents of the fruits of Morinda citrifolia (Noni)*
Chem. Biodivers., 9 (6) (2012), pp. 1172–1187

K.C. Anugweje. *Micronutrient and phytochemical screening of a commercial Morinda citrifolia juice and a popular blackcurrant fruit juice commonly used by Athletes in Nigeria*
World Rural Obser., 7 (1) (2015), pp. 40–48

E. Anwar, L. Broto S. Kardono Arsyadi. *Study of coating tablet extract noni fruit (Morinda citrifolia, L.) with maltodextrin as a subcoating material*
J. Med. Sci., 7 (5) (2007), pp. 762–768

T. Arpornsuwan, T. Punjanon. *Tumor cell-selective antiproliferative effect of the extract from Morinda citrifolia fruits*
Phytother. Res., 20 (6) (2006), pp. 515–517

Nancy Atkinson. *Antibacterial substances from flowering plants. 3. Antibacterial activity of dried Australian plants by rapid direct plate test* Aust. J. Exp. Biol., 34 (1) (1956), pp. 17–26

Md Abdullahil Baque, Sang-Hyun Moh, Eun-Jung Lee, Jian-Jiang Zhong, Kee-Yoeup Paek. *Production of biomass and useful compounds from adventitious roots of high-value added medicinal plants using bioreactor* Biotechnol. Adv., 30 (6) (2012), pp. 1255–1267

D.R. Brito, R.M. Fernandes, M.Z. Fernandes, M.D. Ferreira, F.R. Rolim, M.L. da Silva Filho. *Anthelmintic activity of aqueous and ethanolic extracts of Morinda citrifolia fruit on ascaridia galli* Rev. Bras. Parasitol. Vet., 18 (4) (2009), pp. 32–36

A.C. Brown. *Anticancer activity of Morinda citrifolia (Noni) fruit: a review* Phytother. Res., 26 (10) (2012), pp. 1427–1440

O.A. Bushnell, Fukuda Mitsuno, Makinodan Takashi. *The antibacterial properties of some plants found in Hawaii* Pac. Sci., 4 (3) (1950), pp. 167–183

Yanine Chan-Blanco, Fabrice Vaillant, Ana Mercedes Perez, Max Reynes, Jean-Marc Brillouet, Pierre Brat. *The noni fruit (Morinda citrifolia L.): a review of agricultural research, nutritional and therapeutic properties* J. Food Compos. Anal., 19 (6-7) (2006), pp. 645–654

Chunhieng, M.T., 2003. *Developpement de nouveaux aliments santé tropical: application a la noix du Bresil Bertholettia excels et au fruit de Cambodge Morinda citrifolia*. Ph.D, l'Institut National Polytechnique de Lorraine (INPL)

P. Clafshenkel William, L. King Tracy, P. Kotlarczyk Mary, Cline J. Mark, Warren G. Foster, Vicki L. Davis, Paula A. Witt-Enderby. *Morinda citrifolia (noni) juice augments mammary gland differentiation and reduces mammary tumor growth in mice expressing the unactivated c-erb2 transgene* Evidence-Based Complement. Altern. Med., 2012 (2012), pp. 1–15

Da Silva, Aline Marques, de Souza, Adriana Martins, de Paula Maciel, Fernanda, Diniz, Adriana Pádua, Zan4, Renato André, Ramos, Leandro José, Barbosa, Nathália Vieira, de Oliveira Meneguetti, Dionatas Ulises, 2012. *Analysis physical-chemical, mutagenic and antimutagenic of Morinda citrifolia L. (rubioideae: Rubioideae) noni, germinaded in the region of Brazilian West Amazon*. Open Access Scientific Reports 1 (12), pp. 1–6

S. Deng, B.J. West, A.K. Palu, B.N. Zhou, C.J. Jensen. *Noni as an anxiolytic and sedative: a mechanism involving its gamma-aminobutyric acidergic effects* Phytomedicine, 14 (7–8) (2007), pp. 517–522

Shixin Deng, 'Afa K. Palu, Brett J. West, Chen X. Su, Bing-Nan Zhou, Jarakae C. Jensen. *Lipoxygenase inhibitory constituents of the fruits of noni (Morinda citrifolia) collected in Tahiti* J. Nat. Prod., 70 (5) (2007), pp. 859–862

Shixin Deng, Brett J. West, Jensen C. Jarakae. *A quantitative comparison of phytochemical components in global noni fruits and their commercial products* Food Chem., 122 (1) (2010), pp. 267–270

Alexandra Dittmar. *Morinda citrifolia L* J. Herbs Spices Med. Plants, 1 (3) (1993), pp. 77–92

E. Dussosoy, P. Brat, E. Bony, F. Boudard, P. Poucheret, C. Mertz, J. Giaimis, A. Michel. *Characterization, anti-oxidative and anti-inflammatory effects of Costa Rican noni juice (Morinda citrifolia l.)* J. Ethnopharmacol., 133 (1) (2011), pp. 108–115

Efsa, European Food Safety Authority, 2009. *Scientific opinion of the panel on dietetic products nutrition and allergies on a request from the European commission on the safety of 'Morinda citrifolia (noni) fruit puree and concentrate' as a novel food ingredient*. The EFSA J. 998:1–16

Rita Elkins. *Hawaiian Noni (Morinda citrifolia): Prize Herb of Hawaii and the South Pacific* Woodland Publishing, Utah (1998)

María José Fabra, Eliosbel Márquez, Débora Castro, Amparo Chiralt. *Effect of maltodextrins in the water-content–water activity–glass transition relationships of noni (Morinda citrifolia l.) pulp powder* J. Food Eng., 103 (1) (2011), pp. 47–51

Jean-Pierre Farine, Luc Legal, Brigitte Moreteau, Jean-Luc Le Quere. *Volatile components of ripe fruits of Morinda citrifolia and their effects on Drosophila* Phytochemistry, 41 (2) (1996), pp. 433–438

H.M. Fletcher, J. Dawkins, C. Rattray, G. Wharfe, M. Reid, G. Gordon-Strachan. *Morinda citrifolia (noni) as an anti-inflammatory treatment in women with primary dysmenorrhoea: a randomised double-blind*

placebo-controlled trial treatment in women with primary dysmenorrhoea: a randomised double-blind placebo-controlled trial *Obstet. Gynecol. Int.*, 2013 (2013), pp. 1–6

E. Furusawa, A. Hirazumi, S. Story, J. Jensen. *Antitumour potential of a polysaccharide-rich substance from the fruit juice of Morinda citrifolia (noni) on sarcoma 180 ascites tumour in mice* *Phytother. Res.*, 17 (10) (2003), pp. 1158–1164

R.K. Gupta, A. Banerjee, S. Pathak, C. Sharma, N. Singh. *Induction of mitochondrial-mediated apoptosis by Morinda citrifolia (noni) in human cervical cancer cells* *Asian Pac. J. Cancer Prev.*, 14 (1) (2013), pp. 237–242

T. Hiramatsu, M. Imoto, T. Koyano, K. Umezawa. *Induction of normal phenotypes in ras-transformed cells by damnacanthol from Morinda citrifolia* *Cancer Lett.*, 30 (73(2–3)) (1993), pp. 161–166

A. Hirazumi, E. Furusawa. *An immunomodulatory polysaccharide-rich substance from the fruit juice of Morinda citrifolia (noni) with antitumour activity* *Phytother. Res.*, 13 (5) (1999), pp. 380–387

A.U. Horsfal, O.A. Olabiyi, A.A. Osinubi, C.C. Noronha, A.O. Okanlawon. *Anti diabetic effect of fruit juice of Morinda citrifolia (Tahitian Noni Juice®) on experimentally induced diabetic rats* *Nigerian J. Health Biomed. Sci.*, 7 (2) (2008), pp. 34–37

S.B. Iloki Assanga, L.M. Lewis Luján, E.G. Rivera-Castañeda, A.A. Gil-Salido, A.L. Acosta-Silva, C.Y. Meza-Cueto, J.L. Rubio-Pino. *Effect of maturity and harvest season on antioxidant activity, phenolic compounds and ascorbic acid of Morinda citrifolia L. (noni) grown in Mexico (with track change)* *Afr. J. Biotechnol.*, 12 (29) (2013), pp. 4630–4639

Kenichiro Inoue, Hidekazu Nayeshiro, Hiroyuki Inouyet, Meinhart Zenk. *Anthraquinones in cell suspension cultures of Morinda citrifolia* *Phytochemistry*, 20 (7) (1981), pp. 1693–1700

B.F. Issell, C.C. Gotay, I. Pagano, A.A. Franke. *Using quality of life measures in a Phase I clinical trial of noni in patients with advanced cancer to select a Phase II dose* *J. Diet. Suppl.*, 6 (4) (2009), pp. 347–359

Sathish Kumar Jayaraman, Muthu Saravanan Manoharan, Seethalakshmi Illanchezian. *Antibacterial, antifungal and tumor cell suppression potential of Morinda citrifolia fruit extracts* *Int. J. Integr. Biol.*, 3 (1) (2008), p. 44

Jensen, C.J., Palu, A.K., Story, S.P., Su, C.X., Wang, M.Y., West, B.J., Westendorf, J.J., 2005. *Selectively inhibiting estrogen production and providing estrogenic effects in the human body*. *Google Patents*.

A.A. Joshi, P.M. Chilkawar, B.A. Jadhav. *Studies on physico-chemical properties of noni fruit (Morinda citrifolia) and preparation of noni beverages* *Int. J. Food Sci. Nutr. Diet.*, 1 (102) (2012), pp. 3–8

Masakazu Kamata, Raymond P. Wu, Dong Sung An, Jonathan P. Saxe, Robert Damoiseaux, Michael E. Phelps, Jing Huang, Irvin S.Y. Chen. *Cell-based chemical genetic screen identifies damnacanthol as an inhibitor of HIV-1 Vpr induced cell death* *Biochem. Biophys. Res. Commun.*, 348 (3) (2006), pp. 1101–1106

Kohei Kamiya, Yohei Tanaka, Hanani Endang, Mansur Umar, Toshiko Satake. *Chemical constituents of Morinda citrifolia fruits inhibit copper-induced low-density lipoprotein oxidation* *J. Agric. Food Chem.*, 52 (19) (2004), pp. 5843–5848

Kohei Kamiya, Wakako Hamabe, Shogo Tokuyama, Toshiko Satake. *New anthraquinone glycosides from the roots of Morinda citrifolia* Fitoterapia, 80 (3) (2009), pp. 196–199

Kohei Kamiya, Wakako Hamabe, Shogo Tokuyama, Ken Hirano, Toshiko Satake, Yuko Kumamoto-Yonezawa, Hiromi Yoshida, Yoshiyuki Mizushima. *Inhibitory effect of anthraquinones isolated from the Noni (Morinda citrifolia) root on animal A-, B- and Y-families of DNA polymerases and human cancer cell proliferation* Food Chem., 118 (3) (2010), pp. 725–730

K. Kovendan, K. Murugan, S.P. Shanthakumar, S. Vincent. *Evaluation of larvicidal and pupicidal activity of Morinda citrifolia L. (Noni) (Family: Rubiaceae) against three mosquito vectors* Asian Pac. J. Trop. Dis., 2 (Suppl. 1) (2012), pp. S362–S369

Kalimuthu Kovendana, Shanmugam Perumal Shanthakumarb, Cheruparambath Praseejac, Palanisamy Mahesh Kumara, Kadarkarai Murugana, Savariar Vincentd. *Mosquitocidal properties of Morinda citrifolia L. (Noni) (family: Rubiaceae) leaf extract and Metarhizium anisopliae against malaria vector, Anopheles stephensi Liston. (Diptera: Culicidae)* Asian Pac. J. Trop. Dis., 4 (1) (2014), pp. S173–S180

Krishnaiah, Duduku, Nithyanandam, Rajesh, Sarbatly, Rosalam, 2012. *Phytochemical constituents and activities of Morinda citrifolia L.*In: Venketeshwer (Ed.), Phytochemicals – A Global Perspective of Their Role in Nutrition and Health. InTech.

Duduku Krishnaiah, Awang Bono, Rosalam Sarbatly, S.M. Anisuzzaman. *Antioxidant activity and total phenolic content of an isolated Morinda citrifolia l. methanolic extract from poly-ethersulphone (pes) membrane separator* J. King Saud University – Eng. Sci., 27 (1) (2015), pp. 63–67

J. Langford, A. Doughty, M. Wang, L. Clayton, M. Babich. *Effects of Morinda citrifolia on quality of life and auditory function in postmenopausal women* J. Altern. Complement. Med., 10 (5) (2004), pp. 737–739

Lidianys María Lewis Luján, Iloki Assanga, Simon Bernard, Elba Griselda Rivera-Castañeda, Armida Andrea Gil-Salido, Ana Lilian Acosta-Silva, Cipactli Yuridia Meza-Cueto, José Luis Rubio-Pino. *Nutritional and phenolic composition of Morinda citrifolia L. (Noni) fruit at different ripeness stages and seasonal patterns harvested in Nayarit, Mexico* Int. J. Nutr. Food Sci., 3 (5) (2014), pp. 421–429

J. Li, S.L. Stickel, H. Bouton-Verville, K.E. Burgin, X. Yu, D.K. Wong, T.E. Wagner, Y. Wei. *Fermented Noni exudate (fNE): a mediator between immune system and anti-tumor activity* Oncol. Rep., 20 (6) (2008), pp. 1505–1509

N. Li, H.M. Wang, S.H. Guo, X. Lin, L.P. Zheng, L. Wang. *Protection of apoptosis of osteoblast cultured in vitro by Morinda Root Polysaccharide* Zhongguo Gu Shang, 21 (1) (2008), pp. 39–41

Yi-Ling Lin, Yuan-Yen Chang, Deng-Jye Yang, Bor-Show Tzang, Yi-Chen Chen. *Beneficial effects of noni (Morinda citrifolia L.) juice on livers of high-fat dietary hamsters* Food Chem., 140 (1–2) (2013), pp. 31–38

G. Liu, A. Bode, W.Y. Ma, S. Sang, C.T. Ho, Z. Dong. *Two novel glycosides from the fruits of Morinda citrifolia (noni) inhibit AP-1 transactivation and cell transformation in the mouse epidermal JB6 cell line* Cancer Res., 61 (15) (2001), pp. 5749–5756

J.M. Liu, F. Haroun-Bouhedja, C. Boisson-Vidal. *Analysis of the in vitro inhibition of mammary adenocarcinoma cell adhesion by sulphated polysaccharides* Anticancer Res., 20 (5A) (2000), pp. 3265–3271

- Lishuang Lv, Huadong Chen, Chi-Tang Ho, Shengmin Sang. *Chemical components of the roots of noni (Morinda citrifolia) and their cytotoxic effects* Fitoterapia, 82 (4) (2011), pp. 704–708
- M.C. Mahanthesh, A.S. Manjappa, M.V. Shindhe, C.M. Jamkhandi, S.S. Jalapure, S.S. Patil. *Morinda citrifolia linn; a medicinal plant with diverse phytochemicals and its medicinal relevance* World J. Pharm. Res., 3 (1) (2013), pp. 215–232
- S. Mahattanadul, W. Ridditid, S. Nima, N. Phdoongsombut, P. Ratanasuwon, S. Kasiwong. *Effects of Morinda citrifolia aqueous fruit extract and its biomarker scopoletin on reflux esophagitis and gastric ulcer in rats* J. Ethnopharmacol., 134 (2) (2011), pp. 243–250
- S.U. Mandukhail, N. Aziz, A.H. Gilani. *Studies on antidyslipidemic effects of Morinda citrifolia (Noni) fruit, leaves and root extracts* Lipid. Health Dis., 9 (88) (2010), pp. 1–6
- M. Masuda, K. Murata, A. Fukuhama, S. Naruto, T. Fujita, A. Uwaya, F. Isami, H. Matsuda. *Inhibitory effects of constituents of Morinda citrifolia seeds on elastase and tyrosinase* J. Nat. Med., 63 (3) (2009), pp. 267–273
- M. Masuda, K. Itoh, K. Murata, S. Naruto, A. Uwaya, F. Isami, H. Matsuda. *Inhibitory effects of Morinda citrifolia extract and its constituents on melanogenesis in murine B16 melanoma cells* Biol. Pharm. Bull., 35 (1) (2012), pp. 78–83
- Megumi Masuda Matsuda, Kazuya Murata, Kimihisa Itoh, Shunsuke Naruto, Akemi Uwaya, Fumiyuki Isami, Hideaki. *Effects of Morinda citrifolia extract and its constituents on blood fluidity* J. Tradit. Med., 28 (2) (2011), pp. 47–54
- Matsuda, Hideaki, Masuda, Megumi, Murata, Kazuya, Abe, Yumi, Uwaya, Akemi, 2013. *Study of the anti-photoaging effect of noni (Morinda citrifolia), Melanoma – From Early Detection to Treatment.*
- Z. Mohd Zin, A. Abdul Hamid, A. Osman, N. Saari, A. Misran. *Isolation and identification of antioxidative compound from fruit of Mengkudu (Morinda citrifolia L.)* Int. J. Food Prop., 10 (2) (2007), pp. 363–373
- Julia F. Morton. *The ocean-going noni, or Indian Mulberry (Morinda citrifolia, Rubiaceae) and some of its “colorful” relatives* Econ. Bot., 46 (3) (1992), pp. 241–256
- P.E. Murray, R.M. Farber, K.N. Namerow, S. Kuttler, F. Garcia-Godoy. *Evaluation of Morinda citrifolia as an endodontic irrigant* J. Endod., 34 (1) (2008), pp. 66–70
- F. Mustafa, J. Indurkar, N.I.M. Ali, A. Hanapi, M. Shah, S. Ismail, S.M. Mansor. *A review of Malaysian medicinal plants with potential antidiabetic activity* J. Pharm. Res., 4 (11) (2011), pp. 4217–4224
- Junko Muto, Lee Hosung, Akemi Uwaya, Fumiyuki Isami, Makoto Ohno, Toshio Mikami. *Morinda citrifolia fruit reduces stress-induced impairment of cognitive function accompanied by vasculature improvement in mice* Physiol. Behav., 101 (2) (2010), pp. 211–217
- Sridevi Nagalingam, Changam Sheela Sasikumar, Kotturathu Mammen Cherian. *Extraction and preliminary phytochemical screening of active compounds in Morinda citrifolia fruit* Asian J. Pharm. Clin. Res., 5 (2) (2012), pp. 179–181
- Pranee. Nandhasri, Kammal Kumar. Pawa, Jamnong. Kaewtubtim, Chareonchai. Jeamchanya, Chalerm. Jansom, Chisanucha. Sattaponpun. *Nutraceutical properties of Thai “Yor”, Morinda citrifolia and “Noni” juice extract* Songklanakarin J. Sci. Technol., 27 (2) (2005), pp. 579–586

- Tapp W. Nathan, W.S. Janeal Yancey, K. Apple Jason, E. Dikeman Michael, G. Godbee Richard. *Noni puree (Morinda citrifolia) mixed in beef patties enhanced color stability* Meat Sci., 91 (2) (2012), pp. 131–136
- Nelson, Scot C., 2006. *Species profiles for Pacific island agroforestry Morinda citrifolia noni*. In: Elevitch, Craig R. (Ed.). Permanent Agriculture Resources <<http://www.traditionaltree.org/>>.
- Pratibha Vivek Nerurkar, Philip Eck. *Prevention of palmitic acid-induced lipotoxicity by Morinda citrifolia (noni)* FASEB J., 22 (1_MeetingAbstracts) (2008), pp. 1062–1064
- Pratibha V. Nerurkar, Adrienne Nishioka, Philip O. Eck, Lisa M. Johns, Esther Volper, Vivek R. Nerurkar. *Regulation of glucose metabolism via hepatic forkhead transcription factor 1 (FoxO1) by Morinda citrifolia (Noni) in high-fat diet-induced obese mice* Br. J. Nutr., 108 (2) (2012), pp. 218–228
- Newton, Ken, 2002. *Production of noni juice and powder in Samoa*. In: Hawai'i Noni Conference, University of Hawaii at Manoa, College of Tropical Agriculture and Human Resources.
- Sawpheeayah Nima, Srirat Kasiwong, Wibool Ridditid, Niwan Thaenmanee, Sirima Mahattanadul. *Gastrokinetic activity of Morinda citrifolia aqueous fruit extract and its possible mechanism of action in human and rat models* J. Ethnopharmacol., 142 (2) (2012), pp. 354–361
- T. Nualsanit, P. Rojanapanthu, W. Gritsanapan, S.H. Lee, D. Lawson, S.J. Baek. *Damnacanthal, a noni component, exhibits antitumorigenic activity in human colorectal cancer cells* J. Nutr. Biochem., 23 (8) (2012), pp. 915–923
- Hiroshi Okamoto. *Morinda citrifolia (Noni) in the Treatment of Psoriasis* Open General Int. Med. J., 5 (2012), pp. 1–2
- S.D. Pachauri, S. Tota, K. Khandelwal, P.R. Verma, C. Nath, K. Hanif, R. Shukla, J.K. Saxena, A.K. Dwivedi. *Protective effect of fruits of Morinda citrifolia L. on scopolamine induced memory impairment in mice: a behavioral, biochemical and cerebral blood flow study* J. Ethnopharmacol., 139 (1) (2012), pp. 34–41
- M.S. Pak-Dek, A. Abdul-Hamid, A. Osman, C.S. Soh. *Inhibitory effect of Morinda citrifolia L. on lipoprotein lipase activity* J. Food Sci., 73 (8) (2008), pp. C595–C598
- A.K. Palu, A.H. Kim, B.J. West, S. Deng, J. Jensen, L. White. *The effects of Morinda citrifolia l. (noni) on the immune system: Its molecular mechanisms of action* J. Ethnopharmacol., 115 (3) (2008), pp. 502–506
- A. Palu, S. Deng, B. West, J. Jensen. *Xanthine oxidase inhibiting effects of noni (Morinda citrifolia) fruit juice* Phytother. Res., 23 (12) (2009), pp. 1790–1791
- A. Palu, C. Su, B.N. Zhou, B. West, J. Jensen. *Wound healing effects of noni (Morinda citrifolia L.) leaves: a mechanism involving its PDGF/A2A receptor ligand binding and promotion of wound closure* Phytother. Res., 24 (10) (2010), pp. 1437–1441
- A.K. Palu, B.J. West, J. Jensen. *Noni-based nutritional supplementation and exercise interventions influence body composition* N. Am. J. Med. Sci., 3 (12) (2011), pp. 552–556
- A.K. Palu, B.J. West, Jensen C. Jarakae. *Noni seed oil topical safety, efficacy, and potential mechanisms of action* J. Cosmet., Dermatol. Sci. Appl., 2 (2) (2012), pp. 74–78

- Vijayapandi Pandey, Megala Narasingam, Zahurin Mohamed. *Antipsychotic-like activity of noni (Morinda citrifolia Linn.) in mice* BMC Complement. Altern. Med., 12 (2012) 186
- Alison D. Pawlus, A. Douglas Kinghorn. *Review of the ethnobotany, chemistry, biological activity and safety of the botanical dietary supplement Morinda citrifolia (noni)* J. Pharm. Pharmacol., 59 (12) (2007), pp. 1587–1609
- Pilkington, Karen, The CAM-Cancer Consortium, 2015. *Noni (Morinda citrifolia), abstract and key points*. European Commission.
- O. Potterat, M. Hamburger. *Morinda citrifolia (noni) fruit–phytochemistry, pharmacology, safety* Planta Med., 73 (3) (2007), pp. 191–199
- S. Prapaitrakool, A. Itharat. *Morinda citrifolia Linn. For prevention of postoperative nausea and vomiting* J. Med. Assoc. Thai., 93 (Suppl. 7) (2010), pp. S204–S209
- D.S. Puranik, Mohammed Faraz, B. Nagaraju, Nazeer Ahmed Patan Fayaz, Purohit Shanthraj, Ali Bolouri. *Preclinical evaluation of antidiabetic activity of noni fruit juice* Int. J. Bioassays, 02 (02) (2013), pp. 475–482
- Rungrawee Rawangban, Sopit Thamaree, Tadsanee Punjanon, Somboon Kietinun. *Bio-extract concentrated of Thai “Yore” Morinda citrifolia effects in analgesic, acute toxicity and human peripheral blood mononuclear cells* Thammasat Med. J., 11 (1) (2011), pp. 8–17
- Justyna Rybak, Lena Ruzik. *Application of chromatography and mass spectrometry to the characterization of cobalt, copper, manganese and molybdenum in Morinda citrifolia* J. Chromatogr. A, 15 (1281) (2013), pp. 19–25
- Mohammad Ali Saghiri, Franklin Garcia-Godoy, Kamal Asgar, Mehrdad Lotfi. *The effect of Morinda citrifolia juice as an endodontic irrigant on smear layer and microhardness of root canal dentin* Oral Sci. Int., 10 (2) (2013), pp. 53–57
- Saidan, Noor Hafizoh, 2009. *Phytochemicals and biological activities of roots of malaysian Morinda citrifolia (rubiaceae)*. Master, Faculty of Applied Sciences, Universiti Teknologi MARA.
- P. Saludes Jonel, J. Garson Mary, G. Franzblau Scott, M. Aguinaldo Alicia. *Antitubercular constituents from the hexane fraction of Morinda citrifolia Linn. (Rubiaceae)* Phytother. Res., 16 (7) (2002), pp. 683–685
- Mani Saminathan, Ram Bahal Rai, Kuldeep Dhama, Ruchi Tiwari, Sandip Chakraborty, Amarपाल, Gopikunte Jayaramaiah Ranganath, Kandasamy Kannan. *Systematic review on anticancer potential and other health beneficial pharmacological activities of novel medicinal plant Morinda citrifolia (Noni)* Int. J. Pharmacol., 9 (8) (2014), pp. 462–492
- Sang, Shengmin, Wang, Mingfu, He, Kan, Liu, Guangming, Dong, Zigang, Badmaev, Vladimir, Zheng, Qun, Yi, Ghai, Geetha, Rosen Robert T., Ho, Chi-Tang., 2001. *Chemical components in Noni fruits and leaves (Morinda citrifolia L.)*. In: Quality Management of Nutraceuticals, pp. 134–150. American Chemical Society.
- M. Santhosh Aruna, N. Rama Rao, B. Deepthi, J. Lakshmi Prasanna, Prabha M. Surya. *Ashyuka: a hub of medicinal values* Int. J. Biol. Pharm. Res., 4 (12) (2013), pp. 1043–1049

C.D. Saraswathi, Wagh Sagar Prakash, P.W. Kunal. *Anti-arthritic activity of Morinda citrifolia L. fruit juice in Complete Freund's adjuvant induced arthritic rats* J. Pharm. Res., 5 (2) (2012), pp. 1236–1239

P.N. Satwadhar, H.W. Deshpande, Syed Imran Hashmi, K.A. Syed. *Nutritional composition and identification of some of the bioactive components in Morinda citrifolia juice* Int. J. Pharm. Pharm. Sci., 3 (1) (2011), pp. 58–59

Serafini, Mairim Russo, Santos, Rodrigo Correia, Guimaraes, Adriana Gibara, dos Santos, Joao Paulo Almeida, da Conceicao Santos, Alan Diego, Alves, Izabel Almeida, Gelain, Daniel Pens, de Lima Nogueira, Paulo Cesar, Quintans-Júnior, Lucindo Jose, de Souza Araujo, Adriano Antunes, Bonjardim, Leonardo Rigoldi, 2011. *Morinda citrifolia linn leaf extract possesses antioxidant activities and reduces nociceptive behavior and leukocyte migration*. J. Med. Food 14 (10):1159–1166.

B. Shivananda Nayak, Julien R. Marshall, Godwin Isitor, Andrew Adogwa. *Hypoglycemic and hepatoprotective activity of fermented fruit juice of Morinda citrifolia (Noni) in diabetic rats* Evidence-Based Complement. Altern. Med., 2011 (2011), pp. 1–5

A.C. Shovic, W.A. Whistler. *Food sources of provitamin A and vitamin C in the American Pacific Trop. Sci.*, 41 (2001), pp. 199–202

D.R. Singh. *Morinda citrifolia L. (Noni): a review of the scientific validation for its nutritional and therapeutic properties* J. Diabet. Endocrinol., 3 (6) (2012), pp. 77–91

Neil. Solomon. *The Noni Phenomenon* (second ed.) Direct Source Publishing, Utah (1999)

G.D. Stoner, L.S. Wang, C. Seguin, C. Rocha, K. Stoner, S. Chiu, A.D. Kinghorn. *Multiple berry types prevent n-nitrosomethylbenzylamine-induced esophageal cancer in rats* Pharm. Res., 27 (6) (2010), pp. 1138–1145

Su, C., Wang, M.Y., Nowicki, D., Jensen, J., Anderson, G., 2001. *Selective cox-2 inhibition of Morinda citrifolia (Noni) in vitro*. In: *The Proceedings of the Eicosanoids and Other Bioactive Lipids in Cancer. Inflammation and Related Disease*. The 7th Annual Conference, Loews Vanderbilt Plaza, Nashville, Tennessee, USA.

B.N. Su, A.D. Pawlus, H.A. Jung, W.J. Keller, J.L. McLaughlin, A.D. Kinghorn. *Chemical constituents of the fruits of Morinda citrifolia (Noni) and their antioxidant activity* J. Nat. Prod., 68 (4) (2005), pp. 592–595

T.Y. Suman, S.R. Radhika Rajasree, A. Kanchana, Elizabeth S. Beena. *Biosynthesis, characterization and cytotoxic effect of plant mediated silver nanoparticles using Morinda citrifolia root extract* Colloids Surf. B, 106 (1) (2013), pp. 74–78

T.Y. Suman, S.R. Radhika Rajasree, R. Ramkumar, C. Rajthilak, P. Perumal. *The green synthesis of gold nanoparticles using an aqueous root extract of Morinda citrifolia L* Spectrochim. Acta Part A Mol. Biomol. Spectrosc., 118 (24) (2014), pp. 11–16

E.I. Taskin, K. Akgun-Dar, A. Kapucu, E. Osanc, H. Dogruman, H. Eraltan, E. Ulukaya. *Apoptosis-inducing effects of Morinda citrifolia L. and doxorubicin on the Ehrlich ascites tumor in Balb-c mice* Cell Biochem. Funct., 27 (8) (2009), pp. 542–546

Sopa Tontrong, Supada Khonyoung, Jaroon Jakmunee. *Flow injection spectrophotometry using natural reagent from Morinda citrifolia root for determination of aluminium in tea* Food Chem., 132 (1) (2012), pp. 624–629

- H. Valdés, J. Romero, A. Saavedra, A. Plaza, V. Bubnovich. *Concentration of noni juice by means of osmotic distillation* J. Membr. Sci. (2009)
- M. Wang, H. Kikuzaki, K. Csiszar, C.D. Boyd, A. Maunakea, S.F. Fong, G. Ghai, R.T. Rosen, N. Nakatani, C.T. Ho. *Novel trisaccharide fatty acid ester identified from the fruits of Morinda citrifolia (noni)* J. Agric. Food Chem., 47 (12) (1999), pp. 4880–4882
- M.Y. Wang, B.J. West, C.J. Jensen, D. Nowicki, C. Su, A.K. Palu, G. Anderson. *Morinda citrifolia (Noni): a literature review and recent advances in Noni research* Acta Pharmacol. Sin., 23 (12) (2002), pp. 1127–1141
- C.Y. Wang, C.C. Ng, H. Su, W.S. Tzeng, Y.T. Shyu. *Probiotic potential of noni juice fermented with lactic acid bacteria and bifidobacteria* Int. J. Food Sci. Nutr., 60 (Suppl. 6) (2009), pp. 98–106
- M.Y. Wang, L. Peng, M.N. Lutfiyya, E. Henley, V. Weidenbacher-Hoper, G. Anderson. *Morinda citrifolia (noni) reduces cancer risk in current smokers by decreasing aromatic DNA adducts* Nutr. Cancer, 61 (5) (2009), pp. 634–639
- Brett J. West, Shixin Deng, C. Jensen Jarakae. *Nutrient and phytochemical analyses of processed noni puree* Food Res. Int., 44 (7) (2011), pp. 2295–2301
- Brett J. West, Stephen K. Palmer, Shixin Deng, Afa K. Palu. *Antimicrobial activity of an iridoid rich extract from Morinda citrifolia fruit* Curr. Res. J. Biol. Sci., 4 (1) (2012), pp. 52–54
- D.K. Wong. *Are immune responses pivotal to cancer patient's long term survival? Two clinical case-study reports on the effects of Morinda citrifolia (noni)* Hawaii Med. J., 63 (6) (2004), pp. 182–184
- J. Yang, R. Paulino, S. Janke-Stedronsky, F. Abawi. *Free-radical-scavenging activity and total phenols of noni (Morinda citrifolia L.) juice and powder in processing and storage* Food Chem., 102 (1) (2007), pp. 302–308
- Xiao-Long Yang, Meng-Yuan Jiang, Kun-Lung Hsieh, Ji-Kai Liu. *Chemical constituents from the seeds of Morinda citrifolia* Chinese J. Nat. Med., 7 (2) (2009), pp. 119–122
- C. Younos, A. Rolland, J. Fleurentin, M.C. Lanhers, R. Misslin, F. Mortier. *Analgesic and behavioural effects of Morinda citrifolia* Planta Med., 56 (5) (1990), pp. 430–434
- Yu, H., 2004. *Anti-inflammatory constituents in noni (Morinda citrifolia) fruits, sweet orange (Citrus sinensis) peel, and biotransformation pathway of nobiletin*. Rutgers University.
- Hong-Cai Zhang, Yu Wang, Chun-Miao Yu, Dong-Hua Yu, Ping-Ping Chen, Shu-Min Liu. *Two new saccharide fatty acid esters from the fruit of Morinda citrifolia L. and their ABTS radical scavenging activities* Rec. Nat. Prod., 8 (1) (2014), pp. 25–31
- Z. Mohd Zin, A. Abdul-Hamid, A. Osman. *Antioxidative activity of extracts from Mengkudu (Morinda citrifolia L.) root, fruit and leaf* Food Chem., 78 (2) (2002), pp. 227–231

[END OF TEXT]